

dod reorganization act of 1958

AI generated article from Bing

Priapism - Diagnosis & treatment - Mayo Clinic

Diagnostic tests Diagnostic tests might be needed to determine what type of priapism you have. Additional tests might identify the cause of priapism. In an emergency room setting, your treatment will likely begin before all test results are received. Diagnostic tests can include: Penile blood gas measurement. In this test, a tiny needle is inserted into your penis to remove a sample of blood ...

Victoria E. Clark, M.D., Ph.D. - Mayo Clinic

Victoria E. Clark, M.D., Ph.D., is a Senior Associate Consultant in the Department of Neurologic Surgery and the State of Florida Endowed Chair of Cancer Research at the Mayo Clinic's Florida campus. Dr. Clark graduated with a BA with high honors in Biochemical Sciences from Harvard. She earned her MD and PhD degrees from the Yale University School of Medicine, where she was awarded the degree ...

Animal bites: First aid - Mayo Clinic

Animal bites might be caused by pets — such as cats, dogs, hamsters and turtles. Or bites may be from farm animals or wild animals. The type of care needed depends on how deep the bite is and the type of animal that caused it. You may need medicine to fight infection. Or you may need a tetanus ...

Pemphigus - Symptoms and causes - Mayo Clinic

Learn about symptoms, causes, treatment and self-care tips for this group of rare conditions that causes blisters and sores on the skin or mucous membranes.

Black eye: First aid - Mayo Clinic

A black eye is bruising caused by bleeding in the tiny blood vessels in the skin surrounding the eye. Most injuries that cause a black eye aren't serious. But a black eye could be a symptom of a more serious injury, such as an internal injury to the eye or a fracture of the thin bones around the eye ...

Optimizing care for adults with traumatic brain injury

Classifying TBI severity Many medical centers use the VA/DoD Clinical Practice Guideline for the Management and Rehabilitation of Post-Acute Mild Traumatic Brain Injury (mTBI), based on the Glasgow Coma Scale (GCS), loss of consciousness duration and post-traumatic amnesia.

Anxiety disorders - Diagnosis and treatment - Mayo Clinic

Diagnosis You may start by seeing your primary care provider to find out if your anxiety could be related to your physical health. He or she can check for signs of an underlying medical condition that may need treatment. However, you may need to see a mental health specialist if you have

severe anxiety. A psychiatrist is a medical doctor who specializes in diagnosing and treating mental health ...

Young-onset Alzheimer's: When symptoms begin before age 65

Young-onset Alzheimer's disease is a rare form of dementia that presents unique challenges. Learn more about causes, diagnosis and how to cope.

Plantar warts - Diagnosis and treatment - Mayo Clinic

Treatment Most plantar warts are harmless and go away without treatment, though it may take a year or two in children, and even longer in adults. If you want to get rid of warts sooner, and self-care approaches haven't helped, talk with your health care provider. Using one or more of the following treatments may help: Freezing medicine (cryotherapy). Cryotherapy is done in a clinic and ...

Blood in urine (hematuria) - Symptoms and causes - Mayo Clinic

Symptoms Blood in the urine can look pink, red or cola-colored. Red blood cells cause the urine to change color. It takes only a small amount of blood to turn urine red. The bleeding often isn't painful. But if blood clots get passed in the urine, that can hurt. See a health care provider whenever urine looks like it might have blood in it. Red urine isn't always caused by red blood cells ...