

tourettes bad words

AI generated article from Bing

Tourette syndrome - Wikipedia

Tourette syndrome (TS), or simply Tourette's, is a motor disorder that begins in childhood or adolescence. It is characterized by multiple movement (motor) tics and at least one vocal (phonic) tic. Common tics are blinking, coughing, throat clearing, sniffing, and facial movements.

Tourette syndrome - Symptoms and causes - Mayo Clinic

Tourette (too-RET) syndrome is a disorder that involves repetitive movements or unwanted sounds (tics) that can't be easily controlled. For instance, you might repeatedly blink your eyes, shrug your shoulders or blurt out unusual sounds or offensive words. Tics typically show up between ages 2 and 15, with the average being around 6 years of age.

What is Tourette - Tourette Association of America

Tics are the primary symptoms of a group of childhood-onset neurological conditions known collectively as Tic Disorders and individually as Tourette Syndrome (TS), Persistent (Chronic) Motor or Vocal Tic Disorder, and Provisional Tic Disorder.

Tourette Syndrome - National Institute of Neurological Disorders and Stroke

Tourette syndrome (TS) is a neurological disorder that may cause sudden unwanted and uncontrolled rapid and repeated movements or vocal sounds called tics. TS is one of a group of disorders of the developing nervous system called tic disorders.

Five Things To Know About Tourette Syndrome

Tourette syndrome (or Tourette for short) is a condition that affects the brain and nerves, causing people to make repeated movements and sounds, also known as motor and vocal tics, that they cannot control. The symptoms usually begin in childhood, can vary from mild to severe, and change over time.

Tourette Syndrome: What It Is, Causes, Symptoms & Treatment

Tourette syndrome is a disorder that causes uncontrollable movements and vocal sounds called tics. It often shows up in early childhood and improves in adulthood. Tics can be mild or severe. Medication and therapy can help reduce tics. Contents What Is Tourette Syndrome?

Tourette syndrome: What you need to know - NIH MedlinePlus Magazine

TS is a chronic condition, and symptoms can last into adulthood. But TS can change throughout a person's life. Tics may become milder and less frequent as people grow older. However, the disorder does not get worse over time. TS can affect how a person acts in social, educational, or work settings.

Tourette Syndrome - Symptoms and Causes | Penn Medicine

Tourette syndrome is a movement disorder beginning in childhood that is characterized by sudden uncontrollable movements or sounds called tics.

Tourette syndrome: Understanding the basics - Harvard Health

TS usually begins between 2 and 15 years, with an average age of onset of 6 years, although in some cases it shows up later in the teen years. While TS usually gets better or completely resolves during adolescence and adulthood, it can be really tough for kids who have it.

Tourette Syndrome - MedlinePlus

Tourette syndrome (TS) is a neurologic disorder, mostly in children. It causes tics - involuntary, unusual movements or sounds. Learn what can help.